

Smart Simulation for Decision Support at Headquarters

Ariane Bitoun¹, Hans ten Bergen¹ & Yann Prudent¹

¹ MASA Group, 75002 Paris, France

Correspondence: Hans ten Bergen, MASA Group, 75002 Paris, France. Tel: 31-628-538-492. E-mail: hans.tenbergen@masagroup.net

Received: October 06, 2019; Accepted: November 12, 2019; Published: November 28, 2019

The research is financed by Direction Générale de l'Armement (DGA) through the ASTRID Maturation program.

Abstract

While serious games are being widely adopted by NATO and partner nations, their use is currently limited to training and operations planning. In this paper, we explore new methods that use simulations for decision support during the execution of military operations. During this phase, the commander makes decisions based on knowledge of the situation and the primary objectives. We propose here to take a simulation containing smart and autonomous units, and use it to create new kinds of decision support tools capable of improving situation awareness, and consequently the quality of decisions. The breakthrough behind this initiative is the realization that we can provide HQ decision makers with access to a version of the information that smart simulated units use to make decisions. To ensure the approach was sound we first studied decision-making processes, and analyzed how situation awareness improves decision making. After analysis of the decision-making processes at various headquarters, and the types of decision criteria employed, we are able to produce innovative information, computed by the simulation, and fed by the command and control system. We then propose a prerequisite architecture, and describe the first results of our proof of concept work based on the SWORD (Simulation Wargaming for Operational Research and Doctrine) simulation.

Based on the current situation (intelligence, operational state, logistics, etc.) and the current maneuver (current task), examples of what we are now capable of are as follows: provide an immediate local force ratio map, produce a capacities map (detection, combat), compute contextual fire or logistic support time required, automatically generate lines of battle such as the Forward Line of Own Troops (FLOT), Limit Of Advance (LOA), Line of Contact (LC), Forward Edge of Battle Area (FEBA), or propose an effect based maneuver map in order to understand the current effect of the forces on the ground. We then propose a prerequisite architecture for use as a decision-support system at HQ, and describe the next smart layers that we believe should be developed for optimal results.

Keywords: decision support, situation awareness, simulation, artificial intelligence, alert, information contextualization

1. Simulation and Military Decisions Support Systems

1.1 Improving Decision Support by Resolving Information Overload

To identify the skills that are necessary for military decision making, we first investigated the underlying decision processes, and identified the features required for an ideal decision-support system.

1.1.1 A Decision Process Model

A generic decision process for organizations was first proposed by Simon (1965), and extended by Mora et al. (2003). It consists of five consecutive phases: intelligence, design, choice, implementation and learning (Mora et al. 2003, p. 63). These decision phases can be further divided into several decision steps.

During the intelligence phase, decision makers observe reality, gather information and therefore gain an understanding of the problems and possibilities at hand (Mora et al. 2003, p. 59-60). In the design phase, they construct a decision model which consists of possible actions, decision criteria, uncontrollable events and relationships between these variables. This decision model serves as a basis for the choice phase, in which decision makers evaluate possible alternatives and generate recommended actions. In the implementation phase, decision

makers weigh possible consequences and gain confidence about their decision, plan the tasks needed to realize the decision and execute the plan.

In order to improve their decision behavior, as well as assessing decision situations, decision makers observe the outcomes of the decision and connect them to their decision behavior in the learning phase.

Decision Phase	Decision Step
Intelligence	Data Gathering
	Problem Recognition
Design	Model Formulation
	Model Analysis
Choice	Evaluation
	Selection
Implementation	Presentation of Results
	Task Planning
	Task Tracking
Learning	Outcome-Process Link Analysis
	Outcome-Process Link Synthesis

Figure 1. The Generic Decision Process Presented by Mora et al. (2003)

1.1.2 Supporting the Decision by Enhancing Situation Awareness

In her model, Endsley (1995) presents situation awareness as a stage separate from decision making and action. Situation awareness is described as the decision maker's internal model of the state of the environment. Based on this representation, the decision maker can decide what to do about the situation and carry out any necessary actions. There is thus a strong link between situation awareness and the decision-making process. Situation awareness is represented as the main precursor to decision making, and is the key factor determining decision quality.

Clearly, circumstances where no information is available should result in poor situation awareness, leading with high probability to very low decision quality. One could even claim that a good approach to reach optimal situation awareness would be to provide as much information as possible. However, this does not necessarily represent the best solution, as more information does not automatically mean better situation awareness to ensure better human performance. Firstly, all this information may exceed the human information processing capabilities, leading to cognitive overload. Secondly, not all the data and information available in the environment is relevant and useful for reaching an optimal decision.

Indeed, in some situations, most of the data can be seen as distracters and noise for the decision maker, and may thus reduce his/her level of situation awareness.

The decision maker must detect and use only a specific fraction of this information to enhance his/her decision-making processes. Such considerations lead to the concept of “the right information, at the right place, at the right time”, as opposed to “all information, everywhere, all the time”. This is illustrated in Figure 2.




Figure 2. Decision and Information Quality

1.1.3 Theoretical Demand for Intelligent Filtering of Information

According to Auger et al (2006) and its definition of an ideal support system, such a tool must be able to:

- provide the information needed by the various human decision-makers, and complement the cognitive power of the human mind by proposing a powerful and operational fusion of data.
- provide a system that can be controlled effortlessly by a human by producing an intuitive representation adapted to each operator's specialty (artillery, synthesis, communication, etc).
- support a wide variety of problem-solving strategy evaluations by proposing a situational analysis of the battlefield and a simulation of alternative evolutions and maneuvers.

1.2 Existing Use of Simulation for Military Decision Support

Today simulations are mainly used for military decision support in two cases: force generation and wargaming.

- Force generation: Consists of listing the tasks to be performed, deducing the capacities needed by operational functions and then placing the tasks to be performed in a space-time framework. Modern-day computing power can be used to simulate several scenarios in rapid succession, which increases the overall time available for decision makers.
- Wargaming: In the context of existing methods available for operation planning, competition between friendly course of action and enemy probable course of action, confirms a preference for a course of action.
- In short, we can conclude that the traditional uses of simulation for decision support concentrate on running scenarios, which aims to improve strategy conception and planning.

1.3 Proposal: An Improved Understanding of the Battlefield Using a Smart Synthesis of Field Information

In a typical multi-agent simulation, the situation representation layer, also termed the 'low level AI' layer, is traditionally used by the simulated agent to make sense of raw data from the simulation, allowing the agent to make the best possible decisions and take the right actions. Our idea consists of going beyond the traditional use of a simulation by providing the officers at headquarters access to the situation representation layer, which improves their understanding of the current position in the field.




Figure 3. Simulation Modules

The MASA SWORD Simulation for Proof of Concept

To achieve our aims we decided to consider the MASA SWORD simulation - currently in use in many armies - as it is a multi-agent simulation which calculates a battlefield representation for each simulated agent, allowing each one to autonomously decide on their behavior, in accordance with their doctrine. We believe that we can offer HQ officers an innovative battlefield representation based on the one already used in MASA SWORD's situation representation layer.

This information can be processed to give HQ officers enhanced information regarding the evaluation of forces' capacities, the danger enemies represent, force ratios, etc.

2. Computed Battlefield Representation for Simulated Agents

2.1 Features of Multi-Agent Systems: AI and Algorithms

As defined by P. Maess (1995), “Autonomous agents are computational systems that inhabit some complex dynamic environment, sense and act autonomously in this environment, and by doing so realize a set of goals or tasks for which they are designed”. The word computational, when paired with agent, has a very different meaning from a biological agent, which includes humans, animals, bacteria, etc. Autonomous means that computational agents operate without the intervention of other entities, and have complete control over their actions.




Figure 4. Multi-Agent Model

Assigning goals to an agent means that the said agent will act upon its environment in order to achieve a specified objective, and that in doing so the agent demonstrates a type of rational behavior, in the sense that it minimizes or maximizes its performance measured within its environment. Behavior here means the action that is performed after receiving sensory inputs (or any sequence of sensory inputs). In addition to the sensory inputs, actions, and goals an agent may include domain knowledge (knowledge of a particular environment or problem to be solved). This knowledge can be algorithmic, Artificial Intelligence (AI) based, heuristics, etc. In SWORD this knowledge is given by Direct AI technology.

2.2 Main Principles of Direct AI Technology

In a nutshell, Direct AI is a technology for engineering an agent’s brain, the part of the agent responsible for its actions in the application environment. More precisely, Direct AI provides a solution to the problem of action selection, that is, the problem of deciding what to do next. As we will see shortly, the way we reason, design, and express behaviors in Direct AI, is particularly appropriate when it comes to deciding on a course of action that is a compromise between many different, sometimes contradictory or conflicting, courses of action. A soldier may be confronted with a behavior that proposes a number of positions for observing an enemy, and a different behavior, a safeguarding instinct, that recommends adopting stealth positions to avoid taking unnecessary risks of being seen. A brain decides how to act in its application environment based on its perception and knowledge of its environment. We say the agent is situated in the environment, since its actions may not only change the environment in which it takes an active part, they may also have an effect on the agent itself, and perhaps on other agents. This, in turn, might have an effect on the agent’s future decisions. An agent thinks and acts in a changing, unpredictable environment. The fact that the agent is situated means that the agent has a partial and local perception of the environment; it can only sense the environment around it, and may not know everything there is to know, just what it can learn about it.

2.3 SWORD Battlefield Representation

SWORD is a constructive simulation that is natively used to immerse brigade and division command post staff in large-scale conflicts, stabilization operations, terrorist threats or natural disasters. SWORD simulates a diverse range of situations in realistic environments and, powered by Direct AI, lets trainees lead thousands of autonomous subordinate units (at platoon and company levels) on the virtual field. Agents can receive operation orders and execute them without additional input from the players, while adapting their behavior accordingly as the situation evolves.




Figure 5. SWORD Layers

Their behaviors are validated by doctrinal experts and end users. Their model depends on algorithms that let agents perceive, move, communicate, shoot, and provide the capacities of underlying equipment, as specified in a database. As military officers at HQ or in the field do, each unit makes autonomous decisions based on the doctrine that describes the expected course of action and the results of each mission, its current mission, its operational state, the tactical situation, the terrain, the time elapsed, etc.

3. Making Sense of Data through Smart Visualization and Processing

3.1 Methodology Used

As discussed earlier, one of the effects of many information systems is a tendency for information overload, which invariably leads to a state of decision-making paralysis. Indeed, identifying and presenting only strictly relevant information to decision makers is key. As a rule, the volume of information used by the lead decision maker is surprisingly limited, immediately implying that a large part of the information collected has no impact on decision making. Information communicated to the lead decision maker must therefore be a high level summary. For instance, commanders of large numbers of units do not make decisions based on reports from hundreds of tanks, but rather on their perception of the enemy's movement, their overall understanding of a maneuver, the sum of the states of units, etc. Consequently there is a need to develop software that sorts, classifies, and synthesizes information.

Our first work consisted in defining which information is needed by which officer.



Figure 6. Example of a Complex Tactical Situation

For each cell officer, let us ask: what information is needed; what is the expected, standard evolution of a situation? Conversely, when the unexpected occurs, which particular events would require an alert?

Our work is based on close collaboration with officers based at French army headquarters, whose approach is broadly similar to that of all major armies.

Together with military experts, and simultaneously consulting current doctrine, we attempted to analyze the type of innovative information that could be brought into command and control centers to improve their understanding of the situation and by extension help their decision-making processes.

We concluded that by combining reports from the field, algorithms, current status information, and AI, it is possible to offer an automated and dynamic calculation of a representation of the battlefield, and its possible evolution. The idea here is not to replace a command and control system, but rather to improve situation awareness and to provide automatic warnings for specific events that require urgent investigation by the officer.

In this first implementation of a new approach to decision-making support, we suggest the following list of data that could feasibly be given to HQ officers in an effort to support the tactical situation synthesis, support/supply management, units in the field, and the conception of the next maneuver. The table below allows you to follow the results of our analysis of user needs, classified by HQ cell.

		Situation synthesis	Future maneuver	Direct fire	Indirect Fire	Logistic	4D/Com	Engineering
Unit management	Reports sorting & Warnings							
	Operational/logistical state							
	Mission feasibility check							
	Geographic sustainment coverage							
	Time/duration indicators							
Summary of tactical situation	Occupying the terrain							
	Local force ratio							
	Maneuver synthesis							
	Tactical line and maneuver summary							
Support/supply management								
What if								

Figure 7. Analysis of Smart Data Needs of HQ Cell

3.2 Unit Management

With the imminent arrival of the Scorpion program, that aims to modernize the French fleet with massive digitization, operators will receive a huge amount of reports from the battlefield. The next generation of command and control systems will need a filtering system indicating whether the reports generally show a normal evolution of the situation of the current mission, or, on the contrary, units are encountering an unforeseen event or difficulties on the battlefield. In order to help the management of units in the field, we propose an automatic filter and synthesis of the situation adapted to the specific needs of the operator. The purpose here is not to replace the traditional command and control system but to enhance it by alerting the HQ officer on specific events, offering a global summary of the state of units and synthesizing the state and the capacities of units.

The following are descriptions of functionality that this tool should cover.

3.2.1 Reports Sorting & Automated Warnings Adapted to the Context

The tool should automatically sort the reports depending on their importance. For example, the importance of detecting enemy units is not the same when performed by units at the rear of the battlefield, as opposed to those that are involved in an offensive mission.

The tool should also adapt the warning to the context. For example, calculating the time spent by units in specific zones, such as NRBC or fire zones, does not compare to sending alarms to the operator when the units need to be replaced.

3.2.2 Operational/Logistical State Dynamic Calculation

Such a tool must be able to propose an automatic calculation of the global operational state of units, where major and other equipment are differentiated. In the same way, it must also be possible to propose a synthesis of the global logistical state of each unit. This information needs to be shown in a clear and simple way on the map, for instance with a life bar that describes the operational state of the unit and another bar to indicate the its logistic status.

3.2.3 Mission Feasibility Check

Automatic calculation of resources needed for a mission, warning the operator whether the selected unit has enough resources to complete it. In a similar vein, checking whether there is an open path to mission locations, and warning the operator whenever a point cannot be reached.

3.2.4 Dynamic Geographic Sustainment Coverage

For all the branches that provide a service (communication, indirect fire, etc.), the system must be able to calculate the geographic area covered by the service. The calculation depends on the terrain, the tactical situation, and remaining resources. For example, one will be able to show the geographic area covered by communication capacity, or the total area that artillery units can collectively attain, while factoring in the presence of major equipment, and the logistic status. As a result this system will be able to alert a unit or specific geographic objective whether they are within a covered area.

3.2.5 Times/Duration Availability Warnings

Some specific units or missions, for example in artillery or engineering, need precise times for installation or preparation. Consequently, at a given moment, units can be available for action, while others are moving, installing, or packing. The system can also provide the time required for construction, the effects of drying, and schedule the availability of engineering units.

3.2.6 Summary of the Tactical Situation

The purpose here is to provide the automatic generation of tactical maps. Using simulation algorithms, we can offer the automatic synthesis of the battlefield: terrain occupation, the local force ratio, the global maneuver, the scheduled effects on the terrain and enemies.

3.2.7 Occupying the Terrain




Figure 8. Terrain Occupation

The system can calculate the total area occupied by all units, the entire perception zone based on available equipment, the current missions of units, and the potential area covered by fire. These calculations can be performed on the basis of the hierarchical level of units, their equipment capacities, current missions, and positions. Moreover, calculations of the density of forces could be added to provide an indication of the global force deployment at a glance.




Figure 9. Perception Capacities




Figure 10. Direct Fire Capacities

3.2.8 Local Force Ratio

As seen earlier, the simulation calculates the force ratio of each agent, based on its knowledge of the tactical situation. It is therefore possible to offer a dedicated view of the local force ratios, which provides an insight into which forces, or area, may require reinforcements.




Figure 11. Local Force Ratio

3.2.9 Tactical Line Generation and Maneuver Summary

Based on current missions, knowledge of enemies, and capacities of units, we can generate a global maneuver summary, which includes a calculation of tactical lines, such as the Forward Line of Own Troops (FLOT), Limit Of Advance (LOA), Line of Contact (LC).




Figure 12. Maneuver Summary

3.2.10 Support/Supply Management

For each unit on the battlefield, we provide a calculation of the time taken to be in a position to support a unit facing an enemy. To achieve this, the simulation calculates the best route for each unit. This calculation takes into account all equipment capable of direct or indirect fire, known enemy positions, the terrain, friendly and enemy engineering works, tactical limits, etc. A filter could then offer a choice from logistic, direct or indirect fire support.

The calculation can be reversed to automatically compute the time required to cover support units (medical, supply, etc.). This would include a means of calculating the time taken to reach all units that a medical supply unit is in charge of, and to generate warnings if the maximum time is exceeded.




Figure 13. Fire Support Duration Calculation for a Unit



Figure 14. Support Duration for Units

Through the simulation, it is possible to easily identify the entities that could support a unit or fire at an enemy and within which timeframe when taking into consideration the terrain and the capacities of the units.

3.2.11 Current effect applied layer




Figure 15. Effect Layer

According to the past and current missions of the units it is possible to provide a view of the main effects applied by units on the field: intelligence, attack, support, defense, engineering, etc.

To take this analysis further based on the expected effects approach, we could provide a maneuver view that relies on the major expected effects regarding the enemy and terrain. For example one could produce a map that differentiates between zones that must be recognized, conquered, controlled, etc., or enemies that must be eliminated or stopped. This could be achieved through the interpretation of the advancement of current missions, and the nature of planned missions.

3.3 The “What if” Function

As explained earlier, the wargaming use case is the most common use of a multi-agent simulation as a decision support system at headquarters. The idea here is to offer an easy way to evaluate the current plan using the current knowledge of the enemy, or to simulate alternative options, hence “What if”.

The main difficulties here are as follows:

- It must be simple enough for the user to give orders. Several options are available: prepared orders, very simple orders at a high level in the hierarchy (battalion, for example), graphical orders, etc.
- The user interface must be able to provide a bird's eye view of the situation that includes both friendly and enemy units. Furthermore, we must provide the option to give orders to enemy forces.
- The user must be able to modify the current situation, in order to view alternative, plausible situations. Examples include changing the order of battle, modifying the position and state of units, adjusting the enemy scenario, etc.

4. Conclusion and Early Results

4.1 Recommended Prerequisite Architecture

Here we outline a setup based on a multi-agent battlefield representation, which lets us offer:

- Smart data visualization tools: raw data is processed by algorithms in the multi-agent simulation, which gives them meaning and allows for immediate use through synthesis, generation of alerts, etc.
- Smart data exploitation tools: data can be the starting point for Artificial Intelligence processing, as it is in simulations or machine learning, with a view to help plan or evaluate next steps and future actions, or to go beyond this and help improve intelligence gathering or course of action analysis, etc.




Figure 16. Architecture Hypothesis

All innovative methods proposed here depend on two principal prerequisites:

- a database containing all friendly equipment, plus presumed enemy equipment. Descriptions of all types of equipment must be accompanied by effect descriptions, to enable the simulation of the battlefield.
- the integration of the command and control systems within the tools described above, with a view to importing all data into the simulation: unit positions, logistic states, enemy knowledge, engineering work, NRBC zones, available missions, etc.

We then have to design a data representation that provides an easy-to-understand, intuitive display of processed information. The last issue to be dealt with is the nature of the add-on tools we offer: should they be integrated into specific command and control systems, or be separate, mobile devices, such as tablets.

4.2 Status Report and First Results

We have already enriched SWORD functionality by making it possible to send queries that can retrieve information concerning the internal representation of the simulation. Development of data exploitation aspects has already begun, an example of which is shown above. Another example is shown earlier in Figure 6: Terrain occupation. Early developments aimed at tactical situation synthesis and service coverage have already proved that the idea is valid, and that the SWORD simulation is ideally suited as a candidate for proof of concept, and will allow us to reap the benefits of this innovative approach.

All work will be evaluated during training sessions with the military, who will be the first to examine this alternative display, whose primary aim is to enhance situation awareness.

4.3 Key Takeaways

- The digitization of the army will impact decision processes at every level and officers will need next-generation tools to enhance their situation awareness.
- The use of the low-level AI layer and constructive simulation (combined with enhanced equipment and unit databases) connected to real data directly from the field can produce innovative information and help the work of officers.
- This new tool can provide a smart synthesis of the tactical situation, smart alerts according to the context and the current maneuver, smart calculations of realistic timeframes and geographic scope capacities, etc.

Acknowledgments

This paper is based on the STRATEGIC research project funded by the Direction Générale de l'Armement (DGA) through the ASTRID Maturation program.

References

- Auger, A., Gouin, D., Roy, J., & DRDC Valcartier (2006). Decision Support and knowledge exploitation technologies for C4ISR. Defence Research Development Canada. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.526.264&rep=rep1&type=pdf>
- Chen, M., Zhu, Q. M., & Chen, Zh. X. (2001). An Integrated Interactive Environment for Knowledge Discovery from Heterogeneous Data Resources. *Journal of Information & Software Technology*, 43(1). [https://doi.org/10.1016/S0950-5849\(01\)00159-8](https://doi.org/10.1016/S0950-5849(01)00159-8)
- Davis, K. P., Kulick, J., & Egner, M. (2005). Implications of Modern Decision Science for Military Decision-Support Systems, Santa Monica: RAND Corporation, 2005.
- Endsley. (1995). Toward a Theory of Situation Awareness in Dynamic Systems. In: *Human Factors* 37.1 (1995), 32-64. <https://doi.org/10.1518/001872095779049543>
- Général Loup Francart, La maîtrise de l'information, Doctrines, 2000.
- Christian, K. G., & Marco, C. M. (2016). Towards Game-based Management Decision Support: Using Serious Games to Improve the Decision Process. Retrieved from https://www.wiwi.uni-augsburg.de/bwl/meier/Download_Publikationen/Grund_Meier_2016_Towards_Game-based_Management_Decision_Support.pdf
- Leifler, O. (2011). Affordances and Constraints of Intelligent Decision Support for Military Command and Control — Three Case Studies of Support Systems. Linköping University, 2011. Retrieved from <http://www.diva-portal.org/smash/get/diva2:412065/FULLTEXT02.pdf>
- Maess. (1995). Artificial life meets entertainment: Life like autonomous agents. *Communications of the ACM*,

38(11), 108-114. <https://doi.org/10.1145/219717.219808>

Mora, M., Forgionne, G., Gupta, J., Cervantes, F., & Gelman, O. (2003). A framework to assess intelligent decision-making support systems. In: Knowledge-Based Intelligent Information and Engineering Systems, 59-65. https://doi.org/10.1007/978-3-540-45226-3_9

Plamen V. P., Zhu, Q. M., Jeffrey, D. H., & Alexander, D. S. (2002). A Hierarchical Collective Agents Network for Real-time Sensor Fusion and Decision Support. In AAAI Workshop Technical Report WS-02-15, Menlo Park: AAAI Press, 2002. Retrieved from <https://www.aaai.org/Papers/Workshops/2002/WS-02-15/WS02-15-009.pdf>

Stuart, R., & Peter, N. (1995). Artificial intelligence: A modern approach. Prentice Hall, 1995.

Simon, H. A. (1965). Administrative behavior. Cambridge UnivPress, 1965.

Andreas, T., & Dietmar, K. (2000). Decision Support Systems - Technical Prerequisites and Military Requirements. In 2000 Command and Control Research and Technology Symposium Proceeding, June 2000, Retrieved from <https://arxiv.org/abs/1011.5661>

Boyd, John (1995). The Essence of Winning & Losing, 28 June 1995. Retrieved from <http://www.danford.net/boyd/essence.htm>

Copyrights

Copyright for this article is retained by the author(s), with first publication rights granted to the journal.

This is an open-access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).